ELSEVIER

Journal of Affective Disorders 49 (1998) 259–260

JOURNAL OF AFFECTIVE DISORDERS

Contents (Vol. 49)

No. 1 – April 1998

Research Reports

Seasonal affective disorder among primary care consulters in January: Prevalence and month by month consultation patterns
J.M. Eagles, S.A. Naji, D.A. Gray, J. Christie, J.A.G. Beattie (UK) 1

Positive and negative acute phase proteins in affective subtypes
M. Hornig, D.B.P. Goodman, M. Kamoun, J.D. Amsterdam (USA) 9

Which patients receive antidepressants? A 'real world' telephone study
M. Bouhassira, M.P. Allicar, C. Blachier, A. Nouveau, F. Rouillon (France) 19

Psychiatric and polysomnographic evaluation of sleep disturbances
S. Balan, B. Spivak, R. Mester, A. Leibovitz, B. Habot, A. Weizman (Israel) 27

Maintenance strategies for unipolar depression: an observational study of levels of treatment and recurrence
R. Dawson, P.W. Lavori, W.H. Coryell, J. Endicott, M.B. Keller (USA) 31

Correlations between plasma-neuropeptides and temperament dimensions differ between suicidal patients and healthy controls
Å. Westrin, G. Engstöm, R. Ekman, L. Träskman-Bendz (Sweden) 45

Lack of insight in mood disorders
V. Peralta, M.J. Cuesta (Spain) 55

A meta-analysis of the effects of cognitive therapy in depressed patients
V. Gloaguen, J. Cottraux, M. Cucherat, I.-M. Blackburn (France, UK) 59

A controlled study of folate levels in Chinese inpatients with major depression in Hong Kong
S. Lee, Y.K. Wing, S. Fong (China, USA) 73

Brief Report

Use of the selective serotonin reuptake inhibitor citalopram in the treatment of generalized social phobia
C. Bouwer, D.J. Stein (South Africa) 79

Books Received 85

Announcement 87

No. 2 – May 1998

Research Reports

Altered cerebral energy utilization in late life depression
I.A. Cook, A.F. Leuchter, S.H.J. Uijtdehaage, S. Osato, D.H. Holschneider, M. Abrams, S. Rosenberg-Thompson (USA) 89

Predictors of recurrence in affective disorder. A case register study
L.V. Kessing, P.K. Andersen, P.B. Mortensen (Denmark) 101

Light treatment for nonseasonal depression: speed, efficacy, and combined treatment
D.F. Kripke (USA) 109

Olanzapine in treatment-resistant bipolar disorder
S.L. McElroy, M. Frye, K. Denicoff, L. Altshuler, W. Nolen, R. Kupka, T. Suppes, P.E. Keck, G.S. Leverich, G. F. Kmetz, R.M. Post (USA, Netherlands) 119

A neuropsychological study of panic disorder: Negative findings
J.A. Gladsjo, M.H. Rapaport, R. McKinney, J.A. Lucas, A. Rabin, T. Oliver, J. Davis, M. Auerbach, L.L. Judd (USA) 123

Patterns of mood variation during antidepressant treatment
F. Benedetti, B. Barbini, E. Campori, C. Colombo, E. Smeraldi (Italy) 133

The SSRI antidepressants: Exploring their "other" possible properties
W. Andrews, G. Parker, E. Barrett (Australia) 141

Brief Reports
Seasonal affective disorder: report from India (latitude 26° 45′N)
S. Srivastava, M. Sharma (UK, India) 145
The relationship of suicide attempts, borderline personality traits, and major depressive disorder in a veteran outpatient population
J. Reich (USA) 151

Preliminary Communication
Effects of lamotrigine on the 5-HT_{1A} receptor function in healthy human males
I.-S. Shiah, L.N. Yatham, R.W. Lam, A.P. Zis (Canada, Taiwan) 157

Books Received 163
Announcement 165

No. 3 – June 1998

Research Reports
Risk factors and predictive signs of postpartum depression
M. Righetti-Veltema, E. Conne-Perréard, A. Bousquet, J. Manzano (Switzerland) 167
Does sleep EEG data distinguish between UP, BPI or BPII major depressions? An age and gender controlled study
P. Fossion, L. Staner, M. Dramaix, Ch. Kempenaers, M. Kerkhofs, Ph. Hubain, P. Verbanck, J. Mendlewicz, P. Linkowski (Belgium, Luxemburg) 181
Gender differences in patients with bipolar disorder influence outcome in the medical outcomes survey (SF-20) subscale scores
J.C. Robb, L.T. Young, R.G. Cooke, R.T. Joffe (Canada) 189

Brief Reports
Comorbid depressive disorder increases vulnerability to the 35% carbon dioxide (CO_2) challenge in panic disorder patients
K. Verburg, T. Klaassen, H. Pols, E. Griez (The Netherlands) 195
A double-blind double-dummy study of citalopram comparing infusion versus oral administration
P. Baumann, R. Nil, G. Bertschy, A. Jecker, H. Brändli, J. Morand, A. Kasas, O. Vuagniaux, F. Ramseier (Switzerland) 203
The inflammatory response system and the availability of plasma tryptophan in patients with primary sleep disorders and major depression
C. Song, A. Lin, S. Bonaccorso, C. Heide, R. Verkerk, G. Kenis, E. Bosmans, S. Scharpe, A. Whelan, P. Cosyns, R. de Jongh, M. Maes (Belgium, Canada, Italy, Ireland, USA) 211
Sleep cluster arousal analysis and treatment response to heterocyclic antidepressants in patients with major depression
J. Staedt, H. Hünerjäger, E. Rüther, G. Stoppe (Germany) 221

Preliminary Communications
Clinical experience using gabapentin adjunctively in patients with a history of mania or hypomania
J. Knoll, K. Stegman, T. Suppes (USA) 229
Should thyroid augmentation precede lithium augmentation – a pilot study
J. Spoov, L. Lahdelma (Finland) 235

Correspondence
Why Van der Does, Van Dyck and Spinhoven (1997) did not demonstrate that superior heartbeat perception in panic disorder is partly an artefact
A. Ehlers (UK) 241
No heart feelings. Reply to Ehlers [J. Affect. Disord. 49 (1998) 241]
A.J.W. Van der Does, R. Van Dyck, Ph. Spinhoven (The Netherlands) 245

Books Received 249
Author Index 251
Subject Index 255
Contents (Vol. 49) 259

Contents continued

Correspondence
Why Van der Does, Van Dyck and Spinhoven (1997) did not demonstrate that superior heartbeat perception in panic disorder is partly an artefact
A. Ehlers (UK) 241
No heart feelings. Reply to Ehlers [J. Affect. Disord. 49 (1998) 241]
A.J.W. Van der Does, R. Van Dyck, Ph. Spinhoven (The Netherlands) 245

Books Received 249
Author Index 251
Subject Index 255
Contents (Vol. 49) 259